



Como verificar se a conexão com a API do cresce vendas está funcionando.


Oque fazer quando aparecer esse erro?




Em primeiro lugar, baixa o aplicativo Postman pelo navegador.



E verifica dentro do GestorPDV em "Parametro do sistema> Cresce vendas, qual é o Email e o Token que está sendo utilizado"



Depois quando entrar no aplicativo, clica em "Continue without na account" como estar na imagem



Depois clica em "Open Lightweight API Client" como mostra na imagem, Vai abrir a aba de script do aplicativo

Unlock Postman with an account

- Save and share with Collections**
Save your requests, automate testing, and share your work with others using collections.
- Secure your secrets locally with Vault**
Store and reuse secrets across Postman worry free with end-to-end encryption.
- Collaborate in Workspaces**
Work with others in and outside of your organization with workspaces.
- AI assistance with Postbot**
Postman's AI assistant to help with scripting, API documentation, and more.

[Sign up for Free](#) Open Lightweight API Client

Without an account...

You can use the Lightweight API Client to send requests and view the responses. But that'll be all.

Depois vai colocar como "POST" e irá colocar o link:

1. <https://api.crescevendas.com/admin/api/v2/shops>

Import <https://api.crescevendas.com/admin/api/v2/shops> + ...

POST https://api.crescevendas.com/admin/api/v2/shops

POST https://api.crescevendas.com/admin/api/v2/shops

Headers (7) Body Pre-request Script Tests Settings Cookies

	Value	Bulk Edit
	Value	

GET
POST
PUT
PATCH
DELETE
HEAD
OPTIONS
Type a new method

Response

E em Headers irá colocar os dois links um em baixo do outro: "X-AdminUser-Email" - "X-AdminUser-Token" do jeito que nem está na imagem.

The screenshot shows the Postman interface for a POST request to <https://api.crescevendas.com/admin/api/v2/shops>. The 'Headers' tab is selected, displaying two entries:

Key	Value
X-AdminUser-Email	rochafertilagropet3917@valedesconto.api
X-AdminUser-Token	Uqun75p-isNtaj-roDmf

A red box highlights the entire table, and red arrows point to the 'Key' column of the first row and the 'Value' column of the second row. A 'Bulk Edit' button is also highlighted with a red box and arrow.

E logo na frente irá colocar o email e o token, usando o Bulk Edit para colocar nos campos.

The screenshot shows the 'Value' column of the Headers table from the previous screenshot, with two entries:

Value
rochafertilagropet3917@valedesconto.api
Uqun75p-isNtaj-roDmf

A red box highlights the entire column, and red arrows point to the first and second rows. A 'Bulk Edit' button is highlighted with a red box and arrow.

Na segunda parte do Postman na Abá escrito "Body" coloca em "RAW" e em formato "JSON"

https://api.crescevendas.com/admin/api/v2/shops

POST https://api.crescevendas.com/admin/api/v2/shops

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

1

Em seguida irá colocar o Script para poder fazer a leitura da API, Script:

```
{
  "registration": "75525985144",
  "items": [
    {
      "category": "Alimentos",
      "subcategory": "Carnes",
      "product_name": "Picanha bovina",
      "code": "12345",
      "unit_type": "kg",
      "unit_value": 20.00,
      "quantity": 0.500
    },
    {
      "category": "Alimentos",
      "subcategory": "Laticínios",
      "product_name": "Leite integral",
      "code": "23456",
      "unit_type": "lt",
      "unit_value": 5.00,
      "quantity": 2.000
    }
  ]
}
```

Irá ficar desse jeito, quando colar o script, e em seguida é só aperta em "Send".

https://api.crescevendas.com/admin/api/v2/shops

POST https://api.crescevendas.com/admin/api/v2/shops

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary JSON

```

1
2   "registration": "75525985144",
3   "items": [
4     {
5       "category": "Alimentos",
6       "subcategory": "Carnes",
7       "product_name": "Picanha bovina",
8       "code": "12345",
9       "unit_type": "kg",
10      "unit_value": 20.00,
11      "quantity": 0.500
}

```

Resultado esperado:

The screenshot shows a Postman interface with a red box highlighting the URL field: `https://api.crescevendas.com/admin/api/v2/shops`. Below it, the Body tab is selected, showing a JSON payload:

```
1 "registration": "75525985144",
2   "items": [
3     {
4       "category": "Alimentos",
5       "subcategory": "Carnes",
6       "product_name": "Picanha bovina",
7       "code": "12345",
8       "unit_type": "kg",
9       "unit_value": 20.00,
10      "quantity": 0.500
11    }
12  ]
```

The response tab shows a successful 200 OK status with the following JSON data:

```
1   "response": {
2     "code": 200,
3     "shop_id": "0202692019",
4     "discounts": {
5       "subtotal": 0.0,
6       "products": []
7     }
8   }
9
10 }
```

A red arrow points to the `code: 200` field in the response body.

Ao ser gerado o script, se aparecer com o "CODE 200" quer dizer que não está tendo nenhuma interferencia na API do cresce vendas, possivelmente o erro estará na versão em que o cliente estiver usando.

Ou no proprio GestorPDV.

ID de solução único: #2297

Autor:: Kaua

Última atualização: 26-02-09 20:22